

Description: Polyester Felt 120 g/m<sup>2</sup>

Product Code:KM-120



Tensile Strength	Longitudinal	5cm/N	≥280
	Crosswise	5cm/N	≥240
Elongation	Longitudinal	%	≥12
	Crosswise	%	≥20
180°Cshrinkage		%	< 2
Length /roll		m	1700

[www.keytl.com](http://www.keytl.com)

KEY TECHNOLOGY CORPORATION LIMITED

ADD.: Rm 1708 C1 Nan Fung Tower 173 Des Voeux Rd Central HONGKONG

E-mail: [info@keytl.com](mailto:info@keytl.com)

Phone :00862161420153; Fax :00862161420713

Description: Polyester Felt 140 g/m<sup>2</sup>

Product Code:KM-140



Tensile Strength	Longitudinal	5cm/N	≥380
	Crosswise	5cm/N	≥350
Elongation	Longitudinal	%	≥20
	Crosswise	%	≥25
180°Cshrinkage		%	< 2
Length /roll		m	1600

[www.keytl.com](http://www.keytl.com)

KEY TECHNOLOGY CORPORATION LIMITED

ADD.: Rm 1708 C1 Nan Fung Tower 173 Des Voeux Rd Central HONGKONG

E-mail: [info@keytl.com](mailto:info@keytl.com)

Phone :00862161420153; Fax :00862161420713

Description: Polyester Felt 160 g/m<sup>2</sup>

Product Code:KM-160



Tensile Strength	Longitudinal	5cm/N	≥400
	Crosswise	5cm/N	≥350
Elongation	Longitudinal	%	≥25
	Crosswise	%	≥30
180°Cshrinkage		%	< 2
Length /roll		m	1500

[www.keytl.com](http://www.keytl.com)

KEY TECHNOLOGY CORPORATION LIMITED

ADD.: Rm 1708 C1 Nan Fung Tower 173 Des Voeux Rd Central HONGKONG

E-mail: [info@keytl.com](mailto:info@keytl.com)

Phone :00862161420153; Fax :00862161420713

Description: Polyester Felt 180 g/m<sup>2</sup>

Product Code: KM-180



Tensile Strength	Longitudinal	5cm/N	≥500
	Crosswise	5cm/N	≥450
Elongation	Longitudinal	%	≥30
	Crosswise	%	≥35
180°Cshrinkage		%	< 2
Length /roll		m	1300

[www.keytl.com](http://www.keytl.com)

KEY TECHNOLOGY CORPORATION LIMITED  
ADD.: Rm 1708 C1 Nan Fung Tower 173 Des Voeux Rd Central HONGKONG  
E-mail: [info@keytl.com](mailto:info@keytl.com)  
Phone :00862161420153; Fax :00862161420713

Description: Polyester Felt 200 g/m<sup>2</sup>

Product Code: KM-200



Tensile Strength	Longitudinal	5cm/N	≥550
	Crosswise	5cm/N	≥500
Elongation	Longitudinal	%	≥35
	Crosswise	%	≥40
180°Cshrinkage		%	< 2
Length /roll		m	1200

[www.keytl.com](http://www.keytl.com)

KEY TECHNOLOGY CORPORATION LIMITED  
ADD.: Rm 1708 C1 Nan Fung Tower 173 Des Voeux Rd Central HONGKONG  
E-mail: [info@keytl.com](mailto:info@keytl.com)  
Phone :00862161420153; Fax :00862161420713

Description: Polyester Felt 220 g/m<sup>2</sup>

Product Code: KM-220



Tensile Strength	Longitudinal	5cm/N	≥600
	Crosswise	5cm/N	≥550
Elongation	Longitudinal	%	≥35
	Crosswise	%	≥45
180°Cshrinkage		%	< 2
Length /roll		m	1100

[www.keytl.com](http://www.keytl.com)

KEY TECHNOLOGY CORPORATION LIMITED  
ADD.: Rm 1708 C1 Nan Fung Tower 173 Des Voeux Rd Central HONGKONG  
E-mail: [info@keytl.com](mailto:info@keytl.com)  
Phone :00862161420153; Fax :00862161420713

Description: Polyester Felt 230 g/m<sup>2</sup>

Product Code:KM-230



Tensile Strength	Longitudinal	5cm/N	≥650
	Crosswise	5cm/N	≥580
Elongation	Longitudinal	%	≥40
	Crosswise	%	≥45
180°Cshrinkage		%	< 2
Length /roll		m	950

[www.keytl.com](http://www.keytl.com)

KEY TECHNOLOGY CORPORATION LIMITED

ADD.: Rm 1708 C1 Nan Fung Tower 173 Des Voeux Rd Central HONGKONG

E-mail: [info@keytl.com](mailto:info@keytl.com)

Phone :00862161420153; Fax :00862161420713